DEPARTMENT OF HEALTH & HUMAN SERVICES



Food and Drug Administration 2098 Gaither Road Rockville MD 20850

NOV 2 2 2000

Mr. Raphael Wong President Branan Medical Corporation 10015 Muirlands Road Suite E Irvine, California 92618

Re:

K002418

Trade Name: Monitect[™] Morphine 300 Drug Screen Test

Regulatory Class: II Product Code: DOE

Dated: November 1, 2000 Received: November 2, 2000

Dear Mr. Wong:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4588. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,

Steven I. Gutman, M.D., M.B.A.

Director

Division of Clinical Laboratory Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Steven Butman

Enclosure

Attachment 1

			Page of
510(k) Number	(if known):	K002418	
Device Name:	Monitect	Morphine 300 D	rug Screen Test
Indications For	Jse:		
is an <u>in vitro</u> urine. The d dipstick test. Both test kits a professional	screening evice is ava The cut-of are used to use only.	test for the rapid allable in two test ff for both test me obtain visual, quali The Monitect TM I	Morphine 300 Drug Screen Tes detection of morphine in human formats, the cassette test and the ethods has been set at 300 ng/ml itative results and are intended for Morphine 300 Drug Screen Tes r the counter sale to lay users.
		(Division Sign-Of Division of Clinica 510(k) Number	Cogying al Laborator, Look 19
(PLEASE DO N NEEDED)	OT WRITE E	BELOW THIS LINE-C	CONTINUE ON ANOTHER PAGE IF
	Concurr	ence of CDRH, Office	e of Device Evaluation (ODE)
Prescription Us (Per 21 CFR 80	e	OR	Over-The-Counter Use (Optional Format 1-2-96)